Association Business

AMERICAN POTATO JOURNAL SUBJECT AND AUTHOR INDEX VOLUME 70, 1993

Subject Index

Abrasive peeling, 201–203, 213
Aerial tubers by *Rhizoctonia solani*, 329
Analysis chromotographic, 652
Analysis of Colorado potato beetle suspension velocities, 311
Analysis of
  Amino acids, 204, 654, 656, 660-662
  DNA's, 561, 562
  Isozymes, 561, 562
  Petioles, 700, 701
  Plant, 579
  Polymerase, 635–642
Aromatic sprout inhibitors, 527, 529-532
Bacteria
  Agrobacterium tumifaciens, 635, 637, 638
  Clavibactor michigansis subsp. *spedonicus*, 901
  Corneybacterium spedonicum, 2
  Erwinia spp. 437, 438
  Erwinia caratovora subsp. *atroseptica*, 611
  Erwinia caratovora subsp. *caratovora*, 123, 220, 439, 451, 611, 659
  Pseudomonas fluorescens, 649–654, 656, 660
Bacterial ring rot, 2, 4, 5
"Beetle Excluder", 903, 904, 907
Biological control agents, 625
Bio-Rad protein analysis, 756
Blind seedpieces, 668
Blackleg screening methods, 612
Blackspot pigment development, 211, 213
Blackspot pigment measurement, 201, 202, 206, 207, 211, 213, 215
Blackspot resistance, 201
Blackspot resistant cultivars, 201, 203, 205, 208
Blackspot susceptible cultivars, 202, 205, 210
Bruise resistance, 117, 120, 124, 201
Bruise testing, 120, 243–356
Bruising-harvester field tests, 245, 247
Bruising-height drop tests, 245, 249, 250, 252
Caffeic acid, 201, 204, 212
Calcium accumulations, 219
Calcium defects, pathological and physiological, 213
Chemicals
  Acetic acid, 188
  Acetocarmine, 439, 728
  Acetone, 728
  Acrylamide, 187
  Ammonium acetate, 700
  Ammonium persulfate, 187
  Bentonite, 87
  Boric acid, 87
  Bromophenol blue, 87
  $CaCl_2$, 753, 755
  CH_3CN, 204
  Chlorox, 187, 637, 651, 780
  CH_3OH, 204
  CTAB, 363
  Diammonium phosphate (DAP), 701
  Dithiothreitol, 188
  EDTA, 87, 363
  Ethanol, 8, 9, 63, 87
  Ethyl acetate, 63
  Fluoresceen diacetate, 754
  Freund's adjuvant, 188
  Glycerol, 87
  Hexane, 652
  KCl, 259–261, 564, 700
  K_2SO_4, 701
  Lice, 87
  Malate dehydrogenase, 754
  Mannitol, 755
  Methanol, 63, 74, 188, 652
  Methyl bromide, 507, 508
  $MgCl_2$, 564
  $MgSO_4$, 755
  NaCl, 564
  NaN_3, 564
  NH_4NO_3, 701
  N,N'methylene-bis-acrylamide, 187
  NH_4OH, 87
  Nitrocellulose, 188

Page I - Protein gel mix, 87
Peroxidase, 754
Phosphate-buffered saline, 259
Polyethylene glycol, 753, 755
Primers, 561, 564, 566
Sequestrene 33OFE, 187
Sigma P-1379, 259
Silver nitrate, 87, 188
Sodium acetate, 87
Tris, 87, 259–261, 363
Tween, 20, 259, 637
X-77, 455
Xylene cyanol, 87
Chisal plowing effect on *Rhizoctonia solani*, 329, 332
Chlorogenic acid, 201, 204, 212
Chromatograms of fluorescent compounds, 654, 655, 658, 659
Chromotography (liquid) (HPLC), 909, 912
Chronological age of seed tubers, 22
Critical nutrient values in potato tissues, 579, 580
Critical range of nutrient in potato tissues, 579
Crop nutrition, 699–710
Cultivars and clones evaluated for resistance to *Rhizoctonia solani*, 321–324
Cultivars and variants used for RAPD analysis, 563–565
Cytokinin like activity, 453, 454
Damages caused by *Rhizoctonia solani*, 318
Description of trenching device for control of Colorado potato beetle, 904
Diseases
Blackleg, 611
Black scurf, 318, 329, 553–558
Blossom-end rot, 650
Common scab, 303
Corky patch syndrome, 649–655
Early blight, 303, 901
Early dying, 636, 640
Erwinia soft rot, 117, 119, 120, 123
Late blight, 779–783
Leafroll, 497, 505–514
Net necrosis, 506
Pinkeye disease, 649–651, 658, 665
Silver scurf, 649, 650
Verticillium wilt, 303, 901
Dormancy of seed tubers, 21, 22, 23
Dormancy of seed tubers
Long, 7,8, 12, 21
Short, 7, 21
Shortening, 7, 8, 10–17
DTBA direct tissue blotting assay, 258
DTBA protocol, 259–264
Effect of *Rhizoctonia solani* on true seed, 319
Electrophoresis, 85–87
Encapsulation of minitubers, 285, 292
Enzymatic discoloration, 203
Equipment
Accu-chek III blood glucose monitor, 911, 913, 918, 920
Agtron FF10, 303
Agtron model M-500A, 913, 920
Bausch and Lomb spectronic 21, 204
Beetle Excluder, 903, 904, 907
Bio-Rad model 2500 EIA reader, 189
Conductivity Meter (VSI model 32), 911
Dammu Diker, 477
Durometer, 134
Environment control computer 1056FANCOM, 871
Fluorescence monitor, 649, 653
Gelman syringe filter, 652
Halderson periderm shear tester, 599, 601, 603, 605, 609
Hemacytometer, 736
Holland seedling transplanter model 1250, 678
Inverted microscope, Diaplot-TWD, 888
Juko Maxi RX potato harvester, 573
Magenta (GA-7) jars, 611, 612
Microgenerator PT-20-ST, 87
Molinex juicerator, 911
Neutron probe, 713
NovaPak C-18 column, 204
Panasonic AG-6720, 310
Panasonic WVBD400, 311
Pasteur pipet, 652
Polytron PT-10–35, 87
Polytron tissue grinder, 52
pH meter (Pope model 1502), 912
Shimadzu fluorescence monitor model RF-535, 652
Shimadzu HPLC integrator RC-4, 653
Snap-on torgometer, 602
Sodium vapor lamps, 887
Soil tensiometers, 713
Tye Paratill, 477
Vapor pressure asometer (Wescor model 5500), 912, 920
Virtus model 125L Freezemobile, 204
Wig-L-Bug powderer, 204
Wiley Mill, 204

YSI biochemical analyzer (model 2700 select), 912, 920
Evapotranspiration, 767
Fertilization
Banded nitrogen fertilization, 104
Broadcast fertilization of russets, 572, 573
Calcium content of potato tissues, 590
Effect of fertilizer rates on gross value of potato crop, 708
Fertilizer placement, 104
Fertilization of Russet Burbank in short season environment, 699–710
Magnesium content of potato tissues, 591
Micronutrient content of potato tissues, 593-595
Nitrate leaching in soils, 765, 776
Nitrate nitrogen concentrations in petioles harvested at 3 dates, 705
Nitrate nitrogen content of potato tissues, 583, 587, 765, 769, 776
Nitrogen effects of external tuber defects, 108, 109
Nitrogen fertilization, 766
Nitrogen fertilization effects on dry matter and specific gravity, 772, 774
Nitrogen fertilization and irrigation effects on potato dry matter distribution, 772
Nitrogen fertilzation and irrigation effects on yield and specific gravity, 773, 774
Nitrogen fertilization of russet potatoes in Alaska, 571–578
Nitrogen fertilizer rates, 101, 105
Nitrogen management, 765–767
Petiole nitrate levels, 101, 105, 109–114
Phosphorus content of potato tissues, 586, 587
Potassium content of potato tissues, 588, 589
Response to side-dressed nitrogen, 105, 107
Sidedressed nitrogen, 101, 103, 104, 114
Soil nitrate concentrations, 770, 771, 775
Solanum species evaluated for calcium accumulations, 221
Split nitrogen fertilization, 571, 765–769
Sulfur content of potato tissues, 592
Supplementary nitrogen, 103, 104, 114
Field Production Manual, 549
Food processing, 93
Fungi
Alternaria helianthi, 664
Alternaria solani, 303, 901
Erysiphe cichoracearium, 644
Fusarium equiseti, 650, 661
Fusarium isolates, 653
Fusarium sambucinum, 650
Fusarium spp., 303, 558
Fusarium solani, 649, 650, 652
Fusarium solani spp. phaseoli, 636, 645
Fusarium sulphureum, 653, 658, 657, 660–662, 659
Helminthoporium solani, 650, 657, 658, 663–655
Peronospora hyoscyami, 780
Phylophthora infestans, 337, 340, 341, 445, 451, 486, 779–793
Plasopara viticola, 780
Pseudaperonosphora cubensis, 780
Pythium aphanidermatum, 780
Rhizoctonia solani, 317, 318, 553–557, 649, 650, 652, 558, 625–633
Rhizoctonia solani AG-3, 319, 329–332, 335, 558
Sclerotinum rolfsii, 329
Verticillium albo-atrum, 650
Verticillium dahliae, 303, 535–540, 637, 640–644, 653, 659, 661
Fungicides
Pentachloronitrobenzene (PCNB), 625, 628
Ridomil (metalaxyl), 779–783
Terrachlor, 627
Thiabendazole (TBZ), 553–555, 557, 627, 628, 649, 653
Theophanate methyl, 700
Gas-liquid chromatography, 63, 74
Genotype differences in tuber skin set, 599, 600, 609
Glycoalkaloids, 61, 63, 66, 901
Glycoalkaloid composition of *Solanum* spp., 61, 62, 64–66
Golden nematode resistant cultivar, 897
Growth regulators
5-methyltryptophan, 735, 736, 739, 740
AC 239,604, 50
AC 243,419, 50
AC 243,654, 49–58, 453–460
Amino acid analog 5-MT, 736
Berelex powder, 8, 23
Carbenecillium, 638
Colchicine, 544
Cytokinins, 49, 50, 58, 453
Gibberellic, 7–14, 21–24, 30–33, 63, 187,

638, 667–674
Kanamycin, 638
Nitroguanidines, 49, 50, 58, 453
Phenylpropanoid compounds
Caffeic acid, 652, 663
Chlorogenic acid, 649, 652, 661, 663, 664
Esculin, 649, 654–656
Ferulic acid, 652, 663
p-coumaric acid, 652, 663
Scopaletin, 652, 654–656
t-cinnamic acid, 652, 663
Zeatin, 638
Growth vigor of seed tubers, 8, 21, 23, 32
Harvesting-severity bruise ratings for chain links, 248
Herbicides
Diquat, 45, 602, 627
Dinitro (DINOSEB), 9, 45
Metribuzin, 517, 518, 521, 627, 767
SAN 9789, 755
Human nutrition and the potato, 375–382
Antioxidant nutrition, 379
Dietary fiber, 380
Dietary guidance, 381
Introduction, 375
Mineral nutrition, 381
New potato nutrition label, 376
Nutrition label, 375
Public perceptions, 382
Summary, 382
Immunoblots, 194–196
Immunological assays, 185–197
Immunodetection of polyphenol oxidase, 185–189
Impact bruising, 185, 187
Impact testing of harvesting equipment, 243–256
Insect collector (vacuum), 309
Insects
Aphids, 186, 505, 506
Colorado potato beetle, 186, 309–313, 903, 904, 906
Flea beetle, 186
Leafhoppers, 186
Potato tuber moth, 186
Spider mites, 186
Insecticides
Ambush 50EC, 544
Esfenvaluate, 767
Pyrethroids, 543, 544
Timik 15G, 455
Insect resistance, 185, 187
Acylsucroses, 197
ELISA, 185
Host plant resistance, 197
Overwintering of PLRV, 505, 509, 514
PPO ELISA, 185, 187–189, 195
Instrumental Sphere for bruise impact testing, 243, 244
International cooperation and the role of the potato in feeding the World, 385–403
Introduction
Brief history of the potato, 385
Feeding the growing *World* populations, 385
Potato as a World crop
Advantages, 386–388
Disadvantages, 389–390
Isozyme analysis, 488, 491–493, 753, 756, 762
Irrigation - excessive, 765, 776
Irrigation - management, 712, 713, 722, 765–776
Market quality, 101, 108
Mechanical control of Colorado potato beetle, 903
Media
Acidified potato dextrose agar (APDA), 331, 651
Cornell-Uiklein peat-lite mix, 287, 289
Dextrose agar, 651
Ethanol agar, 651
Hoagland's solution, 222
Jiffy Plus, 62, 888
Kao and Michayoluk media, 487
King's medium B, 651, 652
Murashige-Skoog medium, 756
Promix BX, 187
Rye agar, 782
Tryptic soy agar, 612
Micropropogation, 641
Minitubers, 285, 286
Emergence, 290, 291, 294
Spacing on minituber yields, 296
Stems/hill from minitubers, 290, 291, 294
Tuber size data from minitubers, 290, 291, 294
Yields as compared to whole and cutseed, 297, 298
Model for metribuzin injury, 517–526
Moldboard plowing effect on *R. solani*, 329
Morphological plant changes, 49–52, 453, 456, 459–461

Mycroparasites
Gliodadium roseum, 625
Hormiactis funicola, 625
Trichodermio homatum, 625
Trichoderma homatum, 625
Trichoderma horzianum, 625
Nematode resistance, 485
Nematodes
Columbia root-knot nematode, 486, 649
Globodera rastochiensis, 898
Golden nematode, 897
Meloidogyne hapla, 489, 491
Meloidogyne chitwoodi, 485, 486, 491, 652, 657, 661
Non-irrigated potatoes, 101
Non-host disease resistance, 636
Northeastern (USA) regional project NE-107, 686, 687
Nucleic acids, 87
Nutrition and the potato, 375–384
Origin and history of the potato
Adoption as a food, 365
Early concepts of breeding, 366
Germplasm collection, 368
Introduction to Europe, 363
Introduction of Rough Purple Chili, 367
Summary, 370
The potato in Ireland, 366
Use of exotic germplasm, 370
Use of *S. demissum* for late blight resistance, 367
Wild species, 370
PAA Affairs
Abstracts of papers presented at 77th Annual Meeting of PAA, 797–858
Announcement of 77th Annual Meeting of PAA, August 8–12, 1993, Madison, WI, 181
Announcement of 78th Annual Meeting of PAA, July 24–28, 1994, Calgary, Alberta, Canada, 930
Annual meeting abstract forms and instructions, 808
First call for nominations for Honorary Life Memberships, 863
First call for Graduate Student awards competition papers, 861
First call for papers for 1994 Annual Meeting of PAA, 859
Honorary Life Members for 1993
James Davis, 745
Robert W. Goth, 747
Paul H. Orr, 748
Index to APJ volume 70 (1993), 931
Introduction to 1992 Symposium, 362
Last call for nominations for Honorary Life Memberships, 81
Last call for Graduate Student awards competition papers, 79
Last call for papers for 77th Annual Meeting of PAA, 77
Location of PAA Annual Meetings (1960–1995), 180
Minutes of 1992 Annual Business Meeting, 154
Minutes of 1992 Executive Committee Meeting, 147
Minutes of New 1992–93 Executive Committee Meeting, 160
Obituaries
Rodney C. Hastings, 143
Jay G. Garner, 349
Donald C. Merriam, 550
Ora Smith, 345
Eugene A. Talley, 145
Preregistration for 1993 Annual Meeting of PAA, 351
Proceedings of the 1992 Symposium: Past, Present, and Future Uses of Potatoes, 362–419
Program for 77th Annual Meeting of PAA, 421
Reports from 1992 Committees
Business Editor, 161
Editorial Office, 165
Finance Committee, 160–161
Graduate Student Awards Committee, 177
Honorary Life Membership Committee, 177
International Relations Committee, 178
Membership Secretary, 178–179
Site Selection Committee, 177
Treasurer's and financial statement, 163–165
Second call for nominations for Honorary Life Memberships, 925
Second call for Graduate Student awards competition papers, 927
Second call for papers for 1994 Annual Meeting of PAA, 929
Section Reports
Breeding and Genetics, 174
Certification, 173

Extension, 168
Pathology, 170
Physiology, 175
Production and Management, 172
Utilization, 173
Summary of 1992 Symposium, 419
Periderm maturation, 599–601
Phenotypic effect of temperature and relative humidity on tuber skin set, 602, 606, 608
Physiological ageing of seed tubers, 21, 22, 23
Physiological diseases
Blackspot bruise, 44
Hollow heart, 301, 899
Internal brown spot, 220, 899
Second growth, 303
Subapical necrosis, 220
Vascular discoloration, 301, 899
Plant species
Amaranthus retroflexus, 258, 510
Avena sativa, 329, 331
Beta vulgaris, 510
Brassica spp., 36
Brassica napus, 510
Brassica oleracea, 329–331
Capsella bursa-pastoris, 505–514
Convolvulus arvensis, 510
Datura stramonium, 510
Datura tatula, 506, 510
Fagopyrum esculentum, 329–331
Lupinus albus, 329–331
Lycopersicon esculentum, 197, 489, 510
Lycopersicon pennellii, 197
Physalis floridana, 507, 508, 510–513
Pisum sativa, 329–331
Prunus persica, 512
Rhaphanus sativus, 510
Sisymbrium altissimum, 505–514
Sisymbrium loeselii, 510
Solanum dulcamara, 510
Solanum sarachoides, 258, 510
Planting aid for transplants, 677, 679
Plant Health Management (manual), 549
Plant population effects on
Emergence, 463, 467
Hollow heart, 463, 468, 469
Specific gravity, 463, 367
Tuber size, 463, 467–472
Tuber yield, 463, 467–472
Plant tissue analysis as affect by
Cultivar, 580, 581
Tissue age, 581, 581
Tissue type, 580, 581
Plastic trench liner, 903, 904
Potato breeding
2n gametes, 617
Anthocyanin pigments, 268
Autotetroploid potato, 725, 726, 733
"Buzz" polinators, 731
Chromated segregation, 341, 342
Clonal variant identification, 561
Cultivar identification with DNA's, 561–568
Diploids, 617, 753, 754
Diploid x diploid hybridization, 621, 622
Derived tetraploids, 885, 887
Disease resistance response genes, 636
DNA amplification, 36
DNA extraction, 36
Double reduction, 339
Electrofusion, 753, 754
Endosperm Balance Number (EBA), 754
First division restitution (FDR), 618, 623
Frost tolerance, 753
Fusion of protoplasts, 437
Gene mapping, 35
Genotype-environment interactions, 685–698
Haploidization, 339, 340, 343
Hetrofusion, 755–759
Hexaploid somatic hybrids, 438–440, 450
Hypothesis of inheritance for tuber shape, 269
Inbreeding coefficient, 339–342
Inbreeding depression, 339, 340, 342
Inheritance of blackspot resistance, 43–48
Isozymes, 35, 38
In vitro germination of pollen, 885, 886, 889, 890
Male fertility of tetraploids, 885
Mediated transformation, 641
Micropropagation, 641
Mitosis, 543
Mitotic chromosomes, 543
Mitotic index, 543, 545
Outcrossing rates, 725, 726, 729
Parent diallel, 43
Parental selfs, 43
Pea disease resistance response gene 49, 635–645
Pentaploid progeny, 437, 440, 445
Pigmentation of tubers, 265
Plating efficiency for 5–MT, 735

Plasmids, 637, 638
Plasmid constructs, 637, 638
Pollen grains *in vitro*, 88
Polymerase chain reaction (PCR), 635, 639
Polymorphisms, 35, 38, 41, 561–568
Polyploidization, 617
Progeny evaluated for verticillium wilt resistance, 538
Protoplast derived somaclones, 117
Protoplast fusion, 485–489, 753, 755, 756
Protoplast microprotoplast fusion, 754
Protoplast regeneration, 735
Protoplast survival curves, 738, 739
Protoplasts, 117, 119, 736
RAPD markers, 35, 36, 38, 41
RAPD (polymorphic DNA), 35
Recipient genotype, 727
Reducing sugar inheritance patterns, 71–74
RNA isolation, 639
Second division restitution (SDR), 617, 618, 623
Segregation of phenotypes for
Skin pigmentation, 274–277
Tuber shape, 273
Somaclonal variations, 736
Somaclones, 117, 118, 121
Somatic hybridization, 485, 486
Somatic hybrids, 437, 438, 446, 753
Tetraploid x diploid hybridization, 619
Tetraploid x haploid hybridization, 620
Tetraploid hybrids, 187, 617, 754, 885
Tetraploid parental clones, 43
Trichomes, 185, 186, 188–190
Potato cultivars (new)
Banana, 1
Genesee, 897–899
Red Cloud, 301–308
Potato cultivars (old)
Allagash Russet, 571, 572, 576
Allegany, 287, 292, 295, 297
Atizimba, 727, 729
Atlantic, 86–91, 247, 463, 467–470, 472, 473, 519, 612, 615, 660, 651, 870, 875, 887–889, 891, 901, 912, 917, 918
Bake King, 651, 660
BelRus, 571, 572, 576
Blanca, 897
Butte, 519
Century Russet, 463, 466–470, 472, 473
Chieftan, 86, 88, 90, 287, 295, 297
Cobbler, 318
Crystal, 117–128, 651, 656
Deodara, 67
Desiree, 7, 8, 10, 12–14, 21, 23, 24, 26, 30, 33, 755, 758
Diamont, 7, 8, 10–14, 21, 23, 24, 26, 33
Draga, 21, 24, 30, 33
Elba, 781
Erik, 537, 538
Frontier Russet, 464, 467–469, 471, 473, 519, 571, 572, 576
Gem Chip, 463, 467–470, 472, 473, 519
Green Mountain, 318, 783
Hilite Russet, 486, 487, 490, 491, 571, 572, 576
Kanona, 292
Katahdin, 63, 86–91, 437–440, 445, 446, 784, 897–899
Kennebec, 104, 319–323, 535–540, 553–558, 601, 604–608, 627, 783, 911–913, 918
Krantz, 537, 538
Lemhi Russet, 44, 47, 48, 207, 519, 712
Mi Peru, 36
Monona, 556, 898, 899, 901
Nooksach, 712, 781
Norchip, 519, 527, 601, 604–608, 612, 615, 657–659, 651–653, 781, 895, 912, 917
Norgold, 561, 568
Norland, 4, 5, 301, 303, 561, 601, 604, 606–608
Norwis, 287, 292, 295, 297, 901
Novachip, 912, 918
Onaway, 71–75, 247
Ontario, 222, 247
Pioneer, 519
Quello, 36
Ranger Russet, 467–469, 472, 473, 519, 669–674
Reddale, 535–540
Red Lasoda, 301, 303, 519, 781
Red Pontiac, 86, 90, 91, 247, 301, 303, 518, 553–558
Redsen, 601, 605–608
Roma, 781
Russette, 537, 538, 912, 917
Russet Burbank, 4, 101–112, 131–133, 227, 230–238, 247, 319–323, 437–440, 445, 446, 449, 453–459, 464, 473, 475–478, 480–483, 497, 498, 506, 518, 519, 556, 561, 567, 568, 571, 572, 576,

599, 601, 604–607, 609, 611–615, 655, 699–709, 712, 713, 735–737, 740, 765, 767, 912, 918
Russet Norkotah, 463, 464, 466–469, 471, 473, 475, 478, 479, 571, 572, 576, 612, 615, 652, 657, 781
Sangre, 611–615
Sebago, 104, 292, 295, 561
Serrana, 544
Shepody, 101–114, 464, 466–469, 471, 519, 635, 637, 644, 669–674
Stuben, 287, 295
Superior, 49, 58, 247, 287, 290, 291, 295, 297, 298, 302, 461, 556, 561
Teton, 5
Trent, 71–75
Viking, 561, 567
Wauseon, 897
White Rose, 712
Yukon Gold, 247, 901
Potato cultivars (numbered seedlings)
8672–5, 270
A081216–1, 519
A082260-8, 227, 230–238
A206, 438–440, 445
A7016-1, 519
A70369–2, 519
A72685–2, 519
A75188-3, 44, 47, 48, 208–212
A76147-2, 519
A7816-14, 44, 47, 48, 208–212, 519
A79141-3, 519
A7938-1, 44, 47, 48, 208–212
A8292•1, 489
A84118•3, 489
A8469•1, 489
A9-38, 897
A937, 438–440, 445
AC79100-1, 519
AC8045•1, 519
B0749-2F, 887, 889
B4987-34, 897
B96-56, 302
BDT0001-2, 890, 893
BDT0001-5, 890, 893
BDT0001-7, 890, 893
BDT0001-12, 890, 893
BDT0001-12, 890, 893
BDT0001-16, 890, 893
BDT0001-18, 890, 893
BDT0001-20, 890, 893
BDT0001-21, 890, 893
BDT0001-26, 890, 893
BDT0001-29, 890, 893
BPH32-5, 270
COO8014-1, 519
DH81-7-1463, 755
DM91-5, 887, 889
F58089, 912, 917
G440-6, 897
LT-8 (CIP), 544
M59-44, 302
M348-45, 897
MN10874, 537, 538
MN11719, 537, 538
MN12761, 537, 538
MN82370, 537, 538
MN82393, 537, 538
ND860-2, 71-75, 912, 917, 918
NDA1411-2, 519
NE18•53-2, 302
NE27•55-1, 302
NE185•80-1, 302
NEA143•70-2, 302
NY-78, 897
OCH6579, 729
PI1275184, 491
PI203900, 437–440, 446, 449, 490
PI218228, 437–440, 446, 449
PI243503, 756
PI275189, 486
PI473334, 187
T355-11, 449
TXA17-1, 519
TXA763-5, 44, 46–48, 208–212
W5281•2, 270
Y245•7, 728
Potato quality
Amino acids
Methionine, 735
Tryptophan, 735
Amino compounds, 72
Chip color, 71, 75, 121, 232, 303, 909, 913, 917, 919, 920
Chip color analysis, 874, 876
Cooking tests of stored potatoes, 878
COST subroutine model, 95
Dark-end tubers, 229, 232, 711, 712, 715
Drum dryers, 98
EERC Food Process Simulator, 93
Enzymatic darkening, 44
Food processing, 93
Fructose, 71, 875, 876
Fry color, 232, 237, 714, 715, 719

Glucose, 71, 875, 876
Glucose monitor, 909
Maillard reaction, 71
Phloem necrosis, 506
Pilot plant potato flake process, 96
Potato flakes, 93
Potato solids, 227, 232
Potato tuber bruising, 244–246
Processing quality, 118, 119, 125, 126, 909, 917, 919
Processing quality assessment, 909
Quality monitor, 909
Reducing sugars, 227, 229, 232, 711, 712, 913, 920
Steam consumption in potato flake processing, 93–100
Sugar-end tubers, 227, 229, 230, 711–715, 722
Systems approach to potato flake processing, 93–100
TANDE model for food processing, 94
Tuber reconditioning, 875, 911–913
Potato processing: Past, present, and future, 405–418
Dehydration - past, 406
Dehydration - present, 408, 411
Frozen products, 413
Introduction, 405
Looking to the future, 415
Other products, 413
Potato species (Solanum)
acaule, 66, 486
ajanhuiri, 726
berthaultii, 185–197
brevidens, 437–440, 445, 446, 448, 493
bukasovii, 64
bulbocastanum, 485–487, 489–493
caldasii, 66
cardiophyllum, 486
chacoense, 61, 63, 66, 67
commersonii, 753–755, 759–763
demissum, 66, 727, 783
goniocalyx, 35, 36
gourlayi, 225, 731
kurtzianum, 224
microdontum, 225
neocardenasii, 66
oplacense, 731
phureja, 35, 36, 66, 726, 756, 885, 887
pinnatisetum, 486
sparsipilum, 731
stenatomum, 223, 726, 731, 885, 887
stoloniferum, 64, 727
tuberosum, spp. *andigena*, 35, 36, 66, 187, 223, 727, 728, 730, 731
tuberosum, spp. *tuberosum*, 35, 36, 223, 727, 728, 730, 731
tuberosum, 7, 21, 43, 49, 50, 63, 85, 86, 185–197, 220, 221, 224, 267, 329, 339, 340, 437–440, 445, 448, 453, 485–487, 490, 493, 506, 527, 553, 572, 626, 635, 650, 700, 726, 727, 753–756, 784, 885, 889
Random amplified polymorphic DNA's, 561–568
Reducing sugars as affected by water stress time and tuber portion, 234
Reflectance photometry, 913
Reservoir tillage effects on
Grade, 475, 481, 483
Yield, 475, 481, 483
Resistance to *Rhizoctonia solani*, 317, 318
Resistance to Rhidomil (metalaxyl), 784–786
Rhizoctonia solani control with mycoparisites, 630–632
Rotation crop effect on *Rhizoctonia solani*, 329
Salad potato, 5
Screening for blackleg resistance, 611–615
Seed multiplication, 285, 286
Seedpiece spacing, 463
Seedpiece treatments for *R. solani* control, 625–633
Seed tuber yields, 667, 672, 673
Shatter bruise, 244
Skin maturation, 135
Soil compaction, 475, 476
Soil erosion, 476, 477
Soil temperature effects on yield and quality, 717, 719, 721
Soil water potential, 231
Specific gravity, 3, 4, 106–108, 132, 229, 304–306, 439, 703, 899
Sprout inhibition, 527–532
Sprout inhibitors
Benzaldehyde, 527, 530–532
Chlorpropham (CIPC), 527
Cinnamaldehyde, 527, 530–532
Cuminaldehyde, 527, 530–532
Eugenol, 531
Hydrocinnamaldehyde, 530, 531
Monoterpenes, 527, 532
Salicylaldehyde, 527, 530–532

Thymol, 527, 530, 531
Sprout kill by *R. solani*, 329
Sprout stem and stolon damage caused by *R. solani*, 323
Stem cankers caused by *R. solani*, 323
Storage airflow rates, 877
Storage management for chip potatoes, 869
Storage ventiliation recommendations, 870
Storage temperature regimes, 7, 8, 10, 11, 16, 18, 21, 22, 24, 26, 33
Storage ventilation studies, 874
Storage ventilation systems, 870
Subsoiling (zone), 475–483
Suspension velocities for Colorado potato beetle, 309
Terminal velocities for adult and instar stages of Colorado potato beetle, 315
Thiabendazole effects on
Black scurf on tubers, 557
Plant emergence, 557
Stems per plant, 557
Tillage practices and rotation effects on *R. solani* disease, 329
Tissue blotting, 257
Tissue culture, 117, 118
Tissue homogenation, 203, 213
Total solids as affected by water stres as to time, tuber portion, etc., 227
Transplanter modifications, 677–681
Trenching device, 903
True potato seed (TPS), 85–88
Tuber appearance ratings, 899
Tuber calcium accumulations, 219
Tuber defects, 219, 306
Tuber initiation, 50, 58
Tuber scuffing and feathering, 600
Tuber skinning, 132, 600
Tuber skin set, 599, 600, 604
Tuber skin strength, 131, 136
Tuber size distribution, 106, 107
Tuber size profiles, 667–674
Tuber weight loss, 879, 881
Tyrosine, 201–203, 212
Vacuum control of Colorado potato beetle, 904
Variety performance evaluations, 685, 687, 688
Variety selections in Northeastern (USA) regional trials, 686, 692, 693
Vascular colinization assay for verticillium wilt resistance, 537
Vascular colinization with *Verticillium dahliae* (parent resistance), 537
Vegetative reproduction, 726
Verticillium wilt resistance (early detection), 535
Viroid detection by pollination, 88, 90
Viroid detection techniques, 497–503
Viroid distribution in plant parts, 87–89
Viroid pathogenesis, 86
Viroid specific antisera, 257, 506, 507
Viroids, 86, 88
Viroids - doubly infected plants, 85, 86, 91
Viruses
Cauliflower mosaic virus, 635
ELISA, 227, 260, 262–264, 505–513
FM-PSTVd, 88, 89
FS-PSTVd, 88, 89
PLRV-4, 264, 497, 498, 505–514
PLRV-2243, 506, 507, 510
PLRV-2243 host range, 510
PSTVd (mild and severe strains), 85, 86, 90, 91
PVX, 4, 257
PVY, 4, 257
R-PAGE, 87, 88
Virus transmission, 87, 88
Water stress effects on quality, 227, 229, 230, 712
Weed control, 518
Weed species
Tumble mustard, 505
Shepherd's purse, 505
Weinhold Index (RSI) for *Rhizoctonia solani* stem canker, 331
Wild crucifers and PLRV, 505
Wound healing, 649
Yellow fleshed fingerling, 1–6
Yield enhancement, 49, 453, 457, 459, 460
Yield loss from metribuzin injury, 517, 521
Yields, 3, 4, 33, 55, 56, 101, 106, 107, 117, 119, 122, 303–306, 667, 672–674, 702, 703, 898, 899
Yields and specific gravity of russeted potatoes grown in Alaska, 575, 576, 578
Zone-subsoiling effects on
Emergence, 478
Grade, 418
Hill configuration, 478
Yield, 475, 479–483

Author Index

ABDUL-BAKI, A.A. and K.G. HAYNES. Male fertility of derived tetraploids of *Solanum tuberosum* from groups *tuberosum* x *Phureja stenotomum*, 885.
ABDUL-BAKI, A.A. *see* HAYNES, K.G.
ALLEN, T.C. *see* SAMSON, R.G.
ALLEN, T.C. *see* WHITWORTH, J.L.
ANDERSON, N.A. *see* HOYOS, G.P.
ANDERSON, N.A. *see* LIU, D.
AUSTIN, S. *see* HELGESON, J.P.
AUSTIN, S., J.D. POHLMAN, C.R. BROWN, H. MOJTAHEDI, G.S. SANTO, D.S. DOUCHES, and J.P. HELGESON. Interspecific somatic hybridization between *Solanum tuberosum* L. and *S. bulbocastanum* dun. as a means of transferring nematode resistance, 485.
BAINS, P.S. *see* BISHT, V.S.
BAMBERG, J.B. A planting aid for potato seedling transplants, 677.
BAMBERG, J.B. Accessing disomic 4x (2EBN) potato species' germplasm via hybridization with *S. commersonii* Dunal., 797 (abst.).
BAMBERG, J.B. *see* KLEINHENZ, M.
BAMBERG, J.B., J.P. PALTA, L.A. PETERSON, M. MARTIN, and A.R. KRUEGER. Screening tuber-bearing *Solanum* (potato) germplasm for efficient accumulation of tuber calcium, 219.
BAMBERG, J.B. and J.J. SCHARTNER. Characterization of *Solanum* species in the NRSP-6 potato genebank, 797 (abst.).
BAMBERG, J.B. *see* SPOONER, D.M.
BAMBERG, J.B. *see* VEGA, S.E.
BARNUM, J.M. *see* SHOCK, C.C.
BARRY, G.F. *see* THORNTON, M.K.
BARRY, G.F. *see* WERNER, B.K.
BARTA, J.L. *see* KLEINKOPF, G.E.
BENAVIDES, E. *see* WATANABE, K.
BHAGSARI, A.S. and J.M. SSEBULIBA. Evaluation of potato germplasm in the lowland tropics, 798 (abst.).
BIEVER, K.D. *see* FOX, L.
BIEVER, K.D. and R.I. CHAUVIN. Feeding preference of the Colorado potato beetle for twenty-seven potato cultivars, 798 (abst.).
BINNING, L.K. *see* CONNELL, T.R.
BISHT, V.S., P.S. BAINS, and J.R. LETAL. A simple and efficient method to assess susceptibility of potato to stem rot by *Erwinia carotovora* subspecies, 611.
BOHL, W.H., C.V. EBERLEIN, S.L. LOVE, and J.C. STARK. Variety and seed spacing effects on potato competitiveness with weeds, 799 (abst.).
BOITEAU, G. *see* MISENER, G.C.
BONIERBALE, M.W. *see* PINEDA, O.
BONIERBALE, M.W. *see* YENCHO, G.C.
BOUCHER, A. *see* SINGH, R.P.
BRODIE, B.B. *see* PINEDA, O.
BRODIE, B.B. *see* PLAISTED, R.L.
BROOK, R.C. Impact testing of potato harvesting equipment, 243.
BROOK, R.C. Impact testing of potato packing lines in Michigan, 799 (abst.).
BROOK, R. *see* FORBUSH, T.
BROWN, C.R. Origin and history of the potato, 363.
BROWN, C.R. Outcrossing rate in cultivated autotetraploid potato, 725.

BROWN, C.R. *see* AUSTIN, S.
BROWN, C.R., H. MOJTAHEDI, and G.S. SANTO. Resistance to *Meloidogyne chitwoodi* derived from *S. bulbocastonum*, 799 (abst.).
BROWN, C.R. *see* PAVEK, J.J.
BROWN, L.J. *see* WEINGARTNER, D.P.
BUITRON, E. *see* WATANABE, K.
BURDEN, B.J. and J.A. WYMAN. Interactions of genetically engineered potatoes and Rufugia on Colorado potato beetle behavior, reproduction and survival, 800 (abst.).
BURKHEAD, K.D., D.A. SCHISLER, and P.J. SLININGER. Antibiosis as a possible mechanism of biocontrol of Fusarium dry rot, 800 (abst.).
BURNS, V.J. *see* DE JONG, H.
CADENA, M. *see* RIVERA-PENA, A.
CALUA, L. *see* LANDEO, J.
CAMPBELL, W.L. Factors reducing monetary return of potato production in Alaska, 801 (abst.).
CAMPBELL, W.L. *see* GAVLAK, R.G.
CANALE, F. *see* PLATT, H.W.
CAO, W. and T.W. TIBBITTS. Growth and tuberization in potatoes as affected by simulated seasonal temperature changes, 801 (abst.).
CAO, W. *see* TIBBITTS, T.W.
CARDI, T., K.J. PUITE, K.S. RAMULU, F. D'AMBROSIO, and L. FRUSCIANTE. Production of somatic hybrids between frost tolerant *Solanum commersonii* and *S. tuberosum*: Protoplast fusion, regeneration and isozyme analysis, 753.
CARLSON, H., H. FERRIS and B. WESTERDAHL. Seasonal multiplication rates of Columbia root-knot nematode on potatoes and selected rotation crops, 802 (abst.).
CARLSON, H. *see* GROZA, H.
CARRASCO, E. *see* ESTRADA, N.
CASTILLO, R. *see* SPOONER, D.M.
CEADA, A. *see* QUIROS, C.F.
CHANG, M.M., C.C. CHIANG, M.W. MARTIN, and L.A. HADWIGER. Expression of a pea disease resistance response gene in the potato cultivar Shepody, 635.
CHAUVIN, R.I. *see* BIEVER, K.D.
CHENG, Z.M. *see* PARK, Y.D.
CHIANG, C.C. *see* CHANG, M.M.
CHRIST, B.J. and D.M. PETRUNAK. Powdery scab on potato: Symptoms, severity and assessment methods, 802 (abst.).
CHRISTENSEN, N.W. *see* RYKBOST, K.A.
CLAPHAM, W.M. *see* LEACH, S.S.
CLAUSEN, A. and D.M. SPOONER. A reexamination of diploid hybrid speciation of a wild potato, *Solanum* X *Rechei* Hawkes and Hjert. (*Solanum* sect. *petota*), 803 (abst.).
CLAYTON, S. *see* COLEMAN, W.K.
COFFIN, R.H. *see* DaPEREIRA, A.
COFFIN, R., M.K. KEENAN, D. LYNCH, A. MCKEOWN, J. WILSON, G.A. NELSON, and R. YADA. Banana: A yellow-fleshed fingerling type potato for home garden production, 1.
COLEMAN, W.K., G.C.C TAI, S. CLAYTON, M. O'HARA, and A. PEREIRA. A portable monitor for the rapid assessment of processing quality of stored potato tubers, 909.
COLLINS, W.W. *see* VALLEJO, R.L.
COLTMAN, R. and C. KOSTICHKA. Performance of minitubers produced from microshoots vs microtubers, 803 (abst.).
CONNELL, T.R., W. STEVENSON, L. BINNING, D. CURWEN, K. KELLING, and J. WYMAN. Preventative crop and pest management programs for farming systems involving potatoes, 804 (abst.).

CONNELL, T.R., W.R. STEVENSON, L.K. BINNING, D. CURWEN, K.A. KELLING, J.A. WYMAN, R. SCHMIDT, P. KAARAKA, and G. RICE. Development of an integrated crop management computer program for vegetable cropping systems, 804 (abst.).
CORSINI, D. *see* DEAN, B.B.
CORSINI, D.L. *see* LULAI, E.C.
CORSINI, D. and J. PAVEK. Verticillium wilt resistance versus yield as selection criteria, 805 (abst.).
CORSINI, D.L. *see* PAVEK, J.J.
COSTA, A.S. *see* SOUZA-DIAS, J.A.C.
CRAIG, JR., J.C. *see* KOZEMPEL, M.K.
CUDNOHUFSKY, J. *see* FELDMAN, J.
CUSHMAN, K.E. and T.W. TIBBITTS. Constant light injury of potato (Solanum tuberosum L.), 805 (abst.).
CURWEN, D. *see* CONNELL, T.R.
D'AMBROSIO, F. *see* CARDI, T.
DAVIES, P.J. *see* VAN der BERG, J.H.
DAVIS, J.R., L.H. SORENSEN, and A.T. SCHNEIDER. Investigations of the role of verticillium in the biosuppression of verticillium wilt of potato, 806 (abst.).
DaPEREIRA, A., R.H. COFFIN, R.Y. YADA, and V. SOUZA MACHADO. Inheritance patterns of reducing sugars in potato tubers after storage at 12C and 4C followed by reconditioning, 71.
DEAHL, K.L., D.A. INGLIS, and S.P. DeMUTH. Testing for resistance to metalaxyl in *Phytophthora infestans* isolates from northwestern Washington, 779.
DEAHL, K.L. *see* SANFORD, L.L.
DEAHL, K.L. *see* SINDEN, S.L.
DEAHL, K.L., S.L. SINDEN, and R.J. YOUNG. Evaluation of wild tuber-bearing *Solanum* accessions for foliar glycoalkaloid level and composition, 61.
DEAHL, K.L., S.P. DeMUTH, and A. RIVERA-PENA. Occurrence of metalaxyl resistance in North American populations of P*hytophthora infestans*, 806 (abst.).
DEAN, B.B., N. JACKOWIAK, M. NAGLE, J. PAVEK, and D. CORSINI. Blackspot pigment development of resistant and susceptible *Solanum tuberosum* L. genotypes at harvest and during storage measured by three methods of evaluation, 201.
DEAN, B.B. *see* SABBA, R.P.
DE JONG, H. *see* JACOBSEN, E.
DE JONG, H. and V.J. BURNS. Inheritance of tuber shape in cultivated diploid potatoes, 267.
DEMAGANTE, A.L., P.M. HARRIS, and P. VANDER ZAAG. Radiation use efficiency of four potato genotypes under tropical drought conditions, 807 (abst.).
DEMAGANTE, A.L., P.M. HARRIS, and P. VANDER ZAAG. A promising method for screening drought tolerance in potato using apical stem cuttings, 807 (abst.).
DEMEKE, T., L.M. KAWCHUK, and D.R. LYNCH. Identification of potato cultivars and clonal variants by random amplified polymorphic DNA analysis, 561.
DEMPSEY, E. *see* O'KEEFE, R.B.
DeMUTH, S.P. *see* DEAHL, K.L.
DESJARDINS, A.E. Genetic structure of *gibberella pulicari (Fusarium sambucinum)* from potato tuber dry-rot, 807 (abst.).
deWEERD, J.W. *see* THORNTON, M.K.
deWEERD, J.W. *see* WERNER, B.K.
DODDS, J.H. *see* WATANABE, K.
DOUCHES, D.S. *see* AUSTIN, S.
DOUCHES, D. *see* FREYRE, R.
DOUCHES, D. *see* SOSINSKI, B.

DRENNAN, J.L. *see* SLACK, S.A.
DUFFUS, J.E. *see* FOX, L.
EBERLEIN, C.V. *see* BOHL, W.H.
EBERLEIN, C.V. and M.J. GUTTIERI. Weed management in potatoes with Rimsulfuron, 808 (abst.).
EBERLEIN, C. *see* LOVE, S.L.
EHLENFELDT, M.K. *see* HELGESON, J.P.
ELDREDGE, E.P. *see* SHOCK, C.C.
EL-NASHAAR, H. *see* WATANABE, K.
ERREBHI, M. and C.J. ROSEN. Nitrate sap tests for determining nitrogen status and needs of irrigated potatoes, 808 (abst.).
ESCALANTE, B. and A.R. LANGILLE. Effect of an anti-gibberellin growth retardant on *in vitro* tuberization of induced and non-induced Katahdin nodal stem segments, 809 (abst.).
ESTRADA, N., W. GARCIA, J. GABRIEL, and E. CARRASCO. Breeding potatoes for tolerance to frosts and resistance to late blight, 809 (abst.).
EWING, E.E. *see* VAN den BERG, J.H.
FALKNER, L.K. and S.J. PELOQUIN. Genetic control of got-2 isozyme variants in 4X potato, 810 (abst.).
FELDMAN, J. and J. CUDNOHUFSKY. An agronomic evaluation of transgenic Russet Burbank potatoes, 810 (abst.).
FELDMAN, J. *see* LOVE, S.L.
FERNANDEZ, J. *see* RIVERA-PENA, A.
FERRIS, H. *see* CARLSON, H.
FITZGERALD, C.B. *see* MORROW, L.S.
FLANDERS, K.L. *see* RADCLIFFE, E.B.
FLANDERS, K.L., E.B. RADCLIFFE, J.G. HAWKES, and F. LAUER. Association of insect resistance in wild potatoes with geographical factors and morphological and chemical defense mechanisms, 810 (abst.).
FLORES, F. *see* RIVERA-PENA, A.
FORBUSH, T. and R. BROOK. Influence of airflow rate on chip storage management, 869.
FOX, L., K.D. BIEVER, H.H. TOBA, J.E. DUFFUS, and P.E. THOMAS. Overwintering and monitoring of potato leafroll virus in some wild crucifers, 505.
FRANCL, L.J. *see* RODRIQUEZ, D.
FRAZIER, M.J. *see* KLEINKOPF, G.E.
FREYRE, R. and D. DOUCHES. Assessment of molecular marker technology for quantitative trait loci analysis in diploid potato, 811 (abst.).
FREYRE, R. *see* WATANABE, K.
FRUSCIANTE, L. *see* CARDI, T.
GABRIEL, J. *see* ESTRADA, N.
GALLO, P.B. *see* SOUZA-DIAS, J.A.C.
GARCIA, M.L. *see* SPOONER, D.M.
GARCIA, W. *see* ESTRADA, N.
GARZA, G. *see* RIVERA-PENA, A.
GASTELO, M. *see* LANDEO, J.
GAVLAK, R.G., W.L. CAMPBELL, J.L. WALWORTH, C.L. JOHNSON, J.E. MUNIZ, and T.A. TINDALL. Nitrogen fertilization of irrigated Russet potatoes in southcentral Alaska, 571.
GEORGESCU, A. *see* QUIROS, C.F.
GERMAN, T. and A. WITHERELL. Assessment of transgenic Russet Burbank for resistance to PVY, 811 (abst.).
GERMAN, T. *see* KABRICK, L.
GERMAN, T.L. *see* JOYCE, P.J.
GERMAN, T.L. *see* MONDJANA, A.M.

GIANNATTASIO, R.B. and D.M. SPOONER. Taxonomic boundaries between *Solanum megistracrolobum* (Bitter) and *S. toralapanum* (Card and Hawkes) (*Solanum* sect. *petota*), 812 (abst.).

GIMENEZ, G. *see* PLATT, H.W.

GLYNN, M.T., P.H. ORR, J.M. SACKS, and E.C. LULAI. Testing naturally occurring sprout inhibitors in simulated potato storage atmospheres, 812 (abst.).

GOLMIRZAIE, A. *see* WATANABE, K.

GONZALES, G. *see* SOUZA, DIAS, J.A.C.

GOTH, R.W., K.G. HAYNES, D.R. WILSON, R.J. YOUNG, and W.E. POTTS. Use of cluster analysis in the presence of genotype x environment interactions to characterize scab resistance in potato breeding clones, 813 (abst.).

GROZA, H., D. PRESTON, A. MOSLEY, and H. CARLSON. Effect of breaking dormancy and tuber size on field performance of potato minituber seed, 813 (abst.).

GUDMESTAD, N. *see* KRIEL, C.

GUDMESTAD, N.C. *see* NOLTE, P.

GUDMESTAD, N.C. *see* RODRIGUEZ, D.

GUENTHNER, J.F. Introduction to Proceedings of the Symposium: Past, Present and Future Uses of Potatoes, 362.

GUENTHER, C. *see* HELGESON, J.P.

GUEVARA, E. *see* WATANABE, K.

GUTTIERI, M.J. *see* EBERLEIN, C.V.

HABERLACH, G.T. *see* HELGESON, J.P.

HABERLACH, G.T. *see* MCGRATH, J.

HADERLIE, L.C. *see* LOVE, S.L.

HADWIGER, L.A. *see* CHANG, M.M.

HALDERSON, J.L. and R.C. HENNING. Measurements for determining potato tuber maturity, 131.

HALDERSON, J.L. *see* SOJKA, R.E.

HALSETH, D.E., K.S. YOURSTONE, and R.W. ZOBEL. Analysis of yield trial data with the AMMI model, 814 (abst.).

HALSETH, D.E. *see* PLAISTED, R.L.

HANNEMAN, JR., R.E. Ability of wild and cultivated potato species to chip directly from 2C storage, 814 (abst.).

HANNEMAN, JR., R.E. *see* HOSAKA, K.

HALTEMAN, W.A. *see* LANGILLE, A.R.

HARRIS, P.M. *see* DEMAGANTE, A.L.

HAWKES, J.G. *see* FLANDERS, K.L.

HAYNES, K.G. Some aspects of inbreeding in haploids of tetraploid *Solanum tuberosum* L., 339.

HAYNES, K.G. and A.A. ABDUL-BAKI. Male fertility of derived tetraploids of *Solanum tuberosum* from groups Tuberosum x *Phureja-stenotomum*, 814 (abst.).

HAYNES, K.G. *see* GOTH, R.W.

HAYNES, K.G. and D.R. WILSON. Estimate of broad sense heritability for specific gravity in a diploid hybrid population of *Solanum tuberosum* groups *Phureja* and *Stenotomum*, 815 (abst.).

HAYNES, K.G. and W.E. POTTS. Minimizing inbreeding in tetraploids derived through sexual polyploidization, 617.

HAYNES, K.G. *see* ABDUL-BAKI, A.A.

HELGESON, J.P. *see* AUSTIN, S.

HELGESON, J.P., G.T. HABERLACH, M.K. EHLENFELDT, G. HUNT, J.D. POHLMAN, and S. AUSTIN. Sexual progeny of somatic hybrids between potato and *Solanum brevidens*: Potential for use in breeding programs, 437.

HELGESON, J.P., C. GUENTHER, S. WIELGUS, D. RONIS, L. ZAMBOLIM, and G. HABERLACH. RFLP analysis of progeny from crosses of Katahdin with somatic hybrids between *Solanum bulbocastanum* and potato, 815 (abst.).
HELGESON, J.P., G.T. HABERLACH, S.M. WIELGUS, H. KIM-LEE, and C.E. WILLIAMS. RFLP analysis of *Solanum brevidens* + *S. tuberosum* somatic hybrids and their sexual progeny, 816 (abst.).
HELGESON, J.P. *see* McGRATH, J.
HENNING, R.C *see* HALDERSON, J.L.
HENNINGSON, P.J. *see* NOLTE, P.
HOLMES, Z.A. *see* SHOCK, C.C.
HOSAKA, K. and R.E. HANNEMAN, JR. Identification of RAPD markers in a *Solanum chacoense* x *S. phureja* population, 816 (abst.).
HOYOS, G.P., F.I. LAUER, and N.A. ANDERSON. Early detection of verticillium wilt resistance in a potato breeding program, 535.
HUARTADO, A. *see* WATANABE, K.
HU, J. *see* QUIROS, C.F.
HU, X. *see* PLATT, H.W.
HUNG, Y.T. and A.G. JAVALGI. Batch aerobic treatment of potato wastewater with bioaugmentation and nutrient addition, 817 (abst.).
HUNT, G. *see* HELGESON, J.P.
INGLIS, D.A. *see* DEAHL, K.L.
IWANAGA, M. *see* WATANABE, K.
IZADI, B. *see* STARK, J.C.
JACKOWIAK, N. *see* DEAN, B.B.
JACOBSEN, E., M.S. RAMANNA, S. KAMSTRA, and H. DE JONG. Analysis of backcrosses of interspecific somatic hybrids by the Amf-mutant and by chromosome painting, 817 (abst.).
JACOBSEN, E., R. VISSER, and A. KUIPERS. Development of varieties containing amylase-free starch, 818 (abst.).
JANSKY, S. *see* KRIEL, C.
JATALA, P. *see* WATANABE, K.
JAVALGI, A.G. *see* HUNG, Y.T.
JEON, J.H. *see* JOUNG, H.
JOHNSON, C.L. *see* GAVLAK, R.G.
JOHNSON, D.A. and E.R. MILICZKY. Effect of foliar infections of *Colletotrichum coccodes* on yield and quality of Russet Burbank potato, 818 (abst.).
JOHNSON, S.B. Experiences with an instrumented sphere on potato packing lines, 819 (abst.).
JONES, E.D. *see* MELCHING, J.B.
JOUNG, H., J.H. JEON, S.W. PARK, and H.S. KIM. The impact of mass-produced potato microtubers on Korean potato agriculture, 819 (abst.).
JOYCE, P.J. and T.L. GERMAN. A comparison of microtubers and microshoots used for minituber production, 820 (abst.).
KAARAKA, P. *see* CONNELL, T.R.
KABRICK, L., J. WYMAN, and T. GERMAN. Aphids associated with seed potatoes in Wisconsin and their potential as vectors of PVY, 820 (abst.).
KALBFLEISCH, G. *see* MUNETA, P.
KAMSTRA, S. *see* JACOBSEN, E.
KANG, G.S. *see* MARWAHA, R.S.
KAUFMAN, P., J. WYMAN, and K.J.S. KUNG. Cultural control of the Colorado potato beetle by disrupting overwintering habits in Central Wisconsin, 820 (abst.).
KAWCHUK, L.M. *see* DEMEKE, T.

KEENAN, M.K. *see* COFFIN, R.
KELLING, K.A. *see* CONNELL, T.R.
KHACHATOURIANS, G.G. *see* MIRANPURI, G.S.
KIM-LEE, H. *see* HELGESON, J.P.
KIM, H.S. *see* JOUNG, H.
KINCAID, D.C. *see* SOJKA, R.E.
KINCAID, D.C, D.T. WESTERMANN, and T.J. TROUT. Irrigation and soil temperature effects on Russet Burbank quality, 711.
KISTNER, M., J.H. LORENZEN, D.H. RONIS, and R.J. TAYLOR. Identification of RAPD markers in potato somaclones, 821 (abst.).
KLEINHENZ, M., J.P. PALTA, and J.B. BAMBERG. Stomatal index in relation to freezing tolerance in segregating populations of two wild potato species, 821 (abst.).
KLEINKOPF, G.E., M.D. LEWIS, J.L. BARTA, and M.J. FRAZIER. CIPC residues in stored Russet Burbank potatoes, 822 (abst.).
KOLASA, K.M. The potato and human nutrition, 375.
KOSTICHKA, C. *see* COLTMAN, R.
KOWALSKI, S.P., R.L. PLAISTED, and J.C. STEFFENS. Immunodetection of polyphenol oxidase in glandular trichomes of *S. berthaultii, S. tuberosum* and their hybrids, 185.
KOZEMPEL, M.K., P. TOMASULA, and J.C. CRAIG, JR. Simulation and sensitivity study of potato flake food processing, 93.
KRIEL, C., N. GUDMESTAD, D. RONIS, and S. JANSKY. Inheritance of bacterial ring rot immunity in *Solanum acaule*, 822 (abst.).
KRIEL, C., S. JANSKY, N. GUDMESTAD, and D. RONIS. Screening for bacterial ring rot immunity in wild *Solanum* species, 823 (abst.).
KRUEGER, A.R. *see* BAMBERG, J.B.
KUIPERS, A. *see* JACOBSEN, E.
KUNG, K.J.S. *see* KAUFMAN, P.
LAFTA, A.M. *see* LORENZEN, J.H.
LANDEO, J., M. GASTELO, and L. CALUA. Assessment of horizontal resistance to late blight (*Phytophthora infestans*) in potato free of major genes, 823 (abst.).
LANGILLE, A.R. *see* ESCALANTE, B.
LANGILLE, A.R., K.L. PROUTY, and W.A. HALTEMAN. Effects of the amino acid analog, 5-methyltryptophan on protoplast survival, plating efficiency and free tryptophan levels in tubers of regenerated potato plants, 735.
LAUER, F. *see* FLANDERS, K.L.
LAUER, F.I. *see* HOYOS, G.P.
LAUER, F. *see* LONGTINE, C.
LAVRIK, P. *see* LOVE, S.L.
LEACH, S.S. *see* MURDOCH, C.W.
LEACH, S.S. and R.E. WEBB. Evaluation of potato cultivars, clones and a true seed population for resistance to *Rhizoctonia solani*, 317.
LEACH, S.S., G.A. PORTER, R.V. ROURKE, and W.M. CLAPHAM. Effects of moldboard plowing, chisel plowing and rotation crops on the Rhizoctonia disease of white potato, 329.
LETAL, J.R. *see* BISHT, V.S.
LEWIS, M.D. *see* KLEINKOPF, G.E.
LIU, D. and N.A. ANDERSON. Biological control of potato scab by suppressive strains of *Streptomyces*, 823 (abst.).
LONGTINE, C., E. RADCLIFFE, D. RAGSDALE, and F. LAUER. Incorporation of resistance to green peach aphid, potato leafroll virus and potato virus Y from exotic *Solanum* sources, 824 (abst.).
LOPEZ, L.E. *see* SPOONER, D.M.

LORENZEN, J.H. *see* KISTNER, M.
LORENZEN, J.H. and A.M. LAFTA. Variation in water use efficiency among potato cultivars and wild species, 824 (abst.).
LORENZEN, J.H. *see* SHAKYA, J.D.
LORIA, R. *see* VAUGHN, S.F.
LOVE, S.L., B.K. WERNER, A. THOMPSON-JOHNS, J. FELDMAN, and P. LAVRIK. Internal quality and nutritional analysis of Russet Burbank clones transformed with the BTT gene, 825 (abst.).
LOVE, S.L., B. SHAFII, L.C. HADERLIE, and C. EBERLEIN. Use of foliar symptoms and plant height to predict yield loss in potatoes due to metribuzin injury, 517.
LOVE, S.L. *see* BOHL, W.H.
LOVE, S.L. *see* THORNTON, M.K.
LOVE, S.L. *see* WERNER, B.K.
LULAI, E.C. and D.L. CORSINI. Cytochemical time courses for deposition of major suberin components in the development of resistance to infection, 825 (abst.).
LULAI, E.C. *see* GLYNN, M.T.
LULAI, E.C. and P.H. ORR. Determining the feasibility of measuring genotypic differences in skin-set, 599.
LYNCH, D. *see* COFFIN, R.
LYNCH, D.R. *see* DEMEKE, T.
MACHADO, V. SOUZA *see* DaPEREIRA, A.
MALEK, C.J., A.E. MacGUIDWIN, and D.I. ROUSE. Infection and colonization of Russet Burbank potato by *Verticillium dahliae* as influenced by *Pratylenchus penetrans*, 826 (abst.).
MARTIN, M. *see* BAMBERG, J.B.
MARTIN, M.W. *see* CHANG, M.M.
MARTIN, M.W. *see* PAVEK, J.J.
MARWAHA, R.S. and G.S. KANG. Processing characteristics of some exotic and Indian potato germplasm before and after storage at high temperature, 826 (abst.).
MAXWELL, J. *see* RYKBOST, K.A.
MAZZA, G. *see* SCANLON, M.G.
MacGUIDWIN, A.E. *see* MALEK, C.J.
McCANN, I.R. *see* SOJKA, R.E.
McCANN, I.R. *see* STARK, J.C.
McDONALD, J.G. and R.P. SINGH. Assessment of North American isolates of PVY^N for strains that induce tuber ring necrosis disease, 827 (abst.).
McGRATH, J., J. MITCHELL, T.F. UCHYTIL, S.M. WIELGUS, G.T. HABERLACH, and J.P. HELGESON. Chromosomal assignment and inheritance of RAPD markers in *Solanum brevidens* through analysis of sexual progeny from a somatic hybrid with *S. tuberosum*, 827 (abst.).
McKEOWN, A.W. The challenge: To produce 10t/ha (25 mm) by mid-June in Southern Ontario, 828 (abst.).
McKEOWN, A. *see* COFFIN, R.
McMILLAN, L.P. *see* MISENER, G.C.
MELCHING, J.B., S.A. SLACK, and E.D. JONES. Field performance of peat-lite mix encapsulated small minitubers, 285.
MILICZKY, E.R. *see* JOHNSON, D.A.
MIKITZEL, L.J. Influencing seed tuber yield of Ranger Russet and Shepody potatoes with gibberellic acid, 667.
MIKITZEL, L.J. *see* SORENSEN, E.J.
MILLER, JR, J.C. *see* MYERS, J.M.
MIRANPURI, G.S. and G.G. KHACHATOURIANS. Utilization of fungi for control of the Colorado potato beetle, 828 (abst.).

MISENER, G.C. and G. BOITEAU. Suspension velocity of the Colorado potato beetle in free fall, 309.

MISENER, G.C., G. BOITEAU, and L.P. McMILLAN. A plastic lining treching device for the control of Colorado potato beetle: Beetle Excluder, 903.

MITCHELL, J. *see* McGRATH, J.

MOJTAHEDI, H. *see* AUSTIN, S.

MOJTAHEDI, H. *see* BROWN, C.R.

MONDJANA, A.M., D.I. ROUSE, and T.L. GERMAN. The impact of PVY on potato yield and severity of potato early dying, 829 (abst.).

MOONEY, J. and S.J. PELOQUIN. Variability for 2n pollen frequency in 2x haploid-species hybrid clones grown in greenhouse and field locations, 829 (abst.).

MORALES, A. *see* RIVERA-PENA, A.

MORROW, L.S. and C.B. FITZGERALD. Comparison of nitrogen measurements from dried potato petioles to petiole sap in two different seasons, 830 (abst.).

MOSLEY, A. *see* GROZA, H.

MOSLEY, A.R. *see* WHITWORTH, J.L.

MROCZKIEWICZ, S.P. and J.A. WYMAN. Insect growth regulators as management tools for Colorado potato beetle, *Leptinotarsa decemlineata (Coleoptera: Chrysomelidae)*: Effects on biology and reproduction, 830 (abst.).

MUNETA, P. and G. KALBFLEISCH. Heat contact induced discoloration of potatoes, 831 (abst.).

MUNIZ, J.E. *see* GAVLAK, R.G.

MUNIZ, J.E. *see* WALWORTH, J.L.

MURDOCH, C.W. and S.S. LEACH. Evaluation of *Laetisaria arvalis* as a biological control agent of *Rhizoctonia solani* on white potato, 625.

MYERS, J.M. and J.C. MILLER, JR. Inheritance of russet skin and isozyme analysis in the tetraploid potato *Solanum tuberosum* L., 831 (abst.).

NAGLE, M. *see* DEAN, B.B.

NAZAR, R.N. *see* PLATT, H.W.

NELSON, G.A. *see* COFFIN, R.

NGUYEN, U. and P. VANDER ZAAG. Potato production using tissue culture in Vietnam: The status after 10 years, 831 (abst.).

NIEDERHAUSER, J.S. International cooperation and the role of the potato in feeding the world, 385.

NILMALGODA, S. and S.J. PELOQUIN. Cytological basis of male sterility of haploids of male fertile tetraploids, 832 (abst.).

NOETZEL, D.M. *see* RADCLIFFE, E.B.

NOLTE, P. Effect of fungicide resistance on *Fusarium* decay in cut potato seed, 832 (abst.).

NOLTE, P., G.A. SECOR, N.C. GUDMESTAD, and P.J. HENNINGSON. Detection and identification of fluorescent compounds in potato tuber tissue with corky patch syndrome, 649.

NOLTE, P. *see* THOMPSON-JOHNS, A.

O'HARA, M. *see* COLEMAN, W.K.

O'KEEFE, R.B., A.D. PAVLISTA, and E. DEMPSEY. Red Cloud: A dark red-skinned potato cultivar which holds color in storage, 301.

ORRILLO, M. *see* WATANABE, K.

ORR, P.H. *see* GLYNN, M.T.

ORR, P.H. *see* LULAI, E.C.

ORR, P.H. *see* TAYLOR, R.J.

ORTIZ, R. *see* WATANABE, K.

PALACIOS, M. *see* WATANABE, K.

PALENCIA, R. *see* SPOONER, D.M.

PALTA, J.P. *see* BAMBERG, J.B.
PALTA, J.P. *see* KLEINHENZ, M.
PALTA, J.P. *see* TAWFIK, A.
PALTA, J.P. *see* WEISS, L.S.
PANTA, A. *see* WATANABE, K.
PARK, S.W. *see* JOUNG, H.
PARK, Y.D., Z.M. CHENG, and D.H. RONIS. *Agrobacterium* - Mediated transformation of North Dakota potato cultivars for resistance to potato virus Y, 833 (abst.).
PAVEK, J.J., C.R. BROWN, M.W. MARTIN, and D.L. CORSINI. Inheritance of blackspot bruise resistance in potato, 43.
PAVEK, J.J. and D.L. CORSINI. Group andigena: A source of cold-chipping genes, 833 (abst.).
PAVEK, J.J. *see* CORSINI, D.L.
PAVEK, J. *see* DEAN, B.B.
PAVLISTA, A.D. Morphological changes and yield enhancement of Superior potatoes by AC 243,654, 49.
PAVLISTA, A.D. Nebraska potato eyes: Technical reporting to growers, 833 (abst.).
PAVLISTA, A.D. Morphological changes and yield enhancement of Russet Burbank potatoes by AC 243,654, 453.
PAVLISTA, A.D. *see* O'KEEFE, R.B.
PELOQUIN, S.J. *see* FALKNER, L.K.
PELOQUIN, S.J. *see* MOONEY, J.
PELOQUIN, S.J. *see* NILMALGODA, S.
PELOQUIN, S.J. *see* SCHROEDER, K.R.
PELOQUIN, S.J. *see* SERQUEN, F.
PELOQUIN, S.J. *see* THILL, C.A.
PEREIRA, A. *see* COLEMAN, W.K.
PEREZ, F.G. *see* SINDEN, S.L.
PEREZ, S. *see* WATANABE, K.
PETERSON, L.A. *see* BAMBERG, J.B.
PETRUNAK, D.M. *see* CHRIST, B.J.
PINEDA, O., R.L. PLAISTED, M.W. BONIERBALE, B.B. BRODIE, and S.D. TANKSLEY. Development of a molecular marker for screening resistance to the Golden nematode (*Globodera rostochiensis)* on potato, 834 (abst.).
PIOVANO, S.M. *see* VEILLEUX, R.E.
PLAISTED, R.L., B.B. BRODIE, S.A. SLACK, D.E. HALSETH, and J.B. SIECZKA. Genesis: A late season, golden nematode resistant variety, 895.
PLAISTED, R.L. *see* KOWALSKI, S.P.
PLAISTED, R.L. *see* PINEDA, O.
PLAISTED, R.L. *see* YENCHO, G.C.
PLATT, H.W., F. CANALE, and G. GIMENEZ. Effects of tuber-borne inoculum of *Rhizoctonia solani* and fungicidal seed potato treatment on plant growth and rhizoctonia disease in Canada and Uruguay, 553.
PLATT, H.W., X. HU, J. ROBB, and R.N. NAZAR. Investigations on a PCR-based assay for detection of verticillium wilt pathogens, 834 (abst.).
POHLMAN, J.D. *see* AUSTIN, S.
POHLMAN, J.D. *see* HELGESON, J.P.
PORTER, G.A. and J.A. SISSON. Yield, market quality and petiole nitrate concentration of non-irrigated Russet Burbank and Shepody potatoes in response to sidedressed nitrogen, 101.
PORTER, G.A. and J.A. SISSON. Soil and fertilizer potassium effects on yield, specific gravity and chip color of Atlantic potatoes, 835 (abst.).

PORTER, G.A. *see* LEACH, S.S.
PORTER, G.A. *see* TAI, G.C.C.
POTTS, W.E. *see* GOTH, R.W.
POTTS, W.E. *see* HAYNES, K.G.
PRESTON, D. *see* GROZA, H.
PRITCHARD, M.K. *see* SCANLON, M.G.
PROUTY, K.L. *see* LANGILLE, A.R.
PUITE, K.J. *see* CARDI, T.
QUIROS, C.F., A. CEADA, A. GEORGESCU, and J. HU. Use of RAPD markers in potato genetics: Segregations in diploid and tetraploid families, 35.
RADCLIFFE, E.B., K.L. FLANDERS, D.W. RAGSDALE, and D.M. NOETZEL. Regional importance of the major insect pests of potato in the U.S. and Canada, 835 (abst.).
RADCLIFFE, E.B. *see* FLANDERS, K.L.
RADCLIFFE, E. *see* LONGTINE, C.
RAGSDALE, D. *see* LONGTINE, C.
RAGSDALE, D.W. *see* RADCLIFFE, E.B.
RAMANNA, M.S. *see* JACOBSEN, E.
RAMAN, K. *see* WATANABE, K.
RICE, G. *see* CONNELL, T.R.
RIVERA-PENA, A. *see* DEAHL, K.L.
RIVERA-PENA, A., M. VILLARREAL, M. CADENA, G. GARZA, A. MORALES, F. FLORES, R. ROCHA, J. FERNANDEZ, and J. RANGEL. Ireri: A new variety of potato resistant to late blight, 836 (abst.).
RANGEL, J. *see* RIVERA-PENA, A.
ROBB, J. *see* PLATT, H.W.
ROCHA, R. *see* RIVERA-PENA, A.
RODRIGUEZ, D., G.A. SECOR, and N.C. GUDMESTAD. Effect of planting and harvest date on incidence of silver scurf, 836 (abst.).
RODRIGUEZ, D., G.A. SECOR, N.C. GUDMESTAD, and L.J. FRANCL. Production and dispersal of *Helminthosporium solani* conidia in storage, 836 (abst.).
ROLLER, R. *see* SCANLON, M.G.
RONIS, D. *see* HELGESON, J.P.
RONIS, D.H. *see* KISTNER, M.
RONIS, D. *see* KRIEL, C.
RONIS, D.H. *see* PARK, Y.D.
ROSEN, C.J. *see* ERREBHI, M.
ROURKE, R.V. *see* LEACH, S.S.
ROUSE, D.I. *see* MALEK, C.J.
ROUSE, D.I. *see* MONDJANA, A.M.
ROUSE, D.I. *see* WICK, J.
RUBY, C.L. *see* TAYLOR, R.J.
RYKBOST, K.A. and J. MAXWELL. Effects of plant population on the performance of seven varieties in the Klamath Basin of Oregon, 463.
RYKBOST, K.A., N.W. CHRISTENSEN, and J. MAXWELL. Fertilization of Russet Burbank in short-season environment, 699.
SABBA, R.P. and B.B. DEAN. Tyrosine sources in potato differing in blackspot susceptibility, 837 (abst.).
SACKS, J.M. *see* GLYNN, M.T.
SALINAS, R. *see* WATANABE, K.
SAMSON, R.G., T.C. ALLEN, and J.L. WHITWORTH. Evaluation of direct tissue blotting to detect potato viruses, 257.
SAMSON, R.G. *see* WHITWORTH, J.L.

SANFORD, L.L., K.L. DEAHL, and S.L. SINDEN. Glycoalkaloid content in foliage of hybrid and backcross populations from a *Solanum tuberosum* X *S. chacoense* cross, 837 (abst.).
SANFORD, L.L. *see* SINDEN, S.L.
SANTO, G.S. *see* AUSTIN, S.
SANTO, G.S. *see* BROWN, C.R.
SAVAGE, JR., C.P. *see* STERRETT, S.B.
SCANLON, M.G., R. ROLLER, G. MAZZA, and M.K. PRITCHARD. Video image analysis to quantify and correct color of potato chips, 838 (abst.).
SCHARTNER, J.J. *see* BAMBERG, J.B.
SCHISLER, D.A. *see* BURKHEAD, K.D.
SCHMIDT, R. *see* CONNELL, T.R.
SCHNEIDER, A.T. *see* DAVIS, J.R.
SCHOLTE, K. *see* VAN ITTERSUM, M.K.
SCHIAVONE, R.D. *see* VALLEJO, R.L.
SCHROEDER, K.R. and S.J. PELOQUIN. Relationship between specific gravity and blackspot bruise, 838 (abst.).
SCHISLER, D.A. *see* SLININGER, P.J.
SECOR, G.A. *see* NOLTE, P.
SECOR, G.A. *see* RODRIGUEZ, D.
SECOR, G.A. *see* TAYLOR, R.J.
SEGUENAS, C. *see* WATANABE, K.
SERQUEN, F. and S.J. PELOQUIN. Recurrent selection for 2n eggs and their use in TPS breeding, 839 (abst.).
SHAFII, B. *see* LOVE, S.L.
SHAKYA, J.D. and J.H. LORENZEN. Effect of planting density and seed rate on yield and tuber density of common cultivars of Nepal, 839 (abst.).
SHEN, L.Y. and R.E. VEILLEUX. Temperature effect on potato anther culture, 840 (abst.).
SHOCK, C.C., Z.A. HOLMES, T.D. STIEBER, E.P. ELDREDGE, and P. ZHANG. The effect of timed water stress on quality, total solids and reducing sugar content of potatoes, 227.
SHOCK, C.C. and J.M. BARNUM. Calibration of soil sensors for potato irrigation, 840 (abst.).
SHOCK, C.C. *see* STIEBER, T.D.
SIECZKA, J.B. *see* PLAISTED, R.L.
SILVA, G.H. *see* VITOSH, M.L.
SINDEN, S.L. *see* DEAHL, K.L.
SINDEN, S.L., F.G. PEREZ, L.L. SANFORD, and K.L. DEAHL. Evaluation of some rapid methods of tuber glycoalkaloid (TGA) analysis, 840 (abst.).
SINDEN, S.L. *see* SANFORD, L.L.
SINGH, R.P., A. BOUCHER, and T.H. SOMERVILLE. Interactions between a mild and a severe strain of potato spindle tuber viroid in doubly infected potato plants, 85.
SINGH, R.P. *see* McDONALD, J.G.
SISSON, J.A. *see* PORTER, G.A.
SLACK, S.A., A.A.G. WESTRA, and J.L. DRENNAN. Diagnosis of bacterial ring rot using a DNA probe: A case study, 841 (abst.).
SLACK, S.A. *see* MELCHING, J.B.
SLACK, S.A. *see* PLAISTED, R.L.
SLACK, S.A. *see* WESTRA, A.A.G.
SLININGER, P.J. *see* BURKHEAD, K.D.
SLININGER, P.J. and D.A. SCHISLER. Liquid culture growth characteristics as criteria for selecting and applying bacterial antagonists of potato dry rot, 841 (abst.).
SOJKA, R.E., D.T. WESTERMANN, D.C. KINCAID, I.R. McCANN, J.L. HALDERSON, and M. THORNTON. Zone-subsoiling effects on potato yield and grade, 475.

SOMERVILLE, T.H. *see* SINGH, R.P.
SORENSEN, L.H. *see* DAVIS, J.R.
SORENSEN, E.J. and L.J. MIKITZEL. An evaluation of the culinary quality of specialty potatoes, 842 (abst.).
SOSINSKI, B. and D. DOUCHES. Use of PCR-based DNA amplification to fingerprint North American potato cultivars, 842 (abst.).
SOUZA-DIAS, J.A.C., A.S. COSTA, P.B. GALLO, and G. GONZALES. Can Duvira replace Bintje under conditions of high leafroll virus (PLRV) inoculum pressure without the need of changing seed?, 843 (abst.).
SPENCER, G.F. *see* VAUGHN, S.F.
SPOONER, D.M. *see* CLAUSEN, A.
SPOONER, D.M., R. CASTILLO, L.E. LOPEZ, R. PALENCIA, M.L. GARCIA, and J.B. BAMBERG. New germplasm collections of wild potatoes (*Solanum* sect. *petota*) from Ecuador, Colombia, and Venezuela, 843 (abst.).
SPOONER, D.M. *see* GIANNATTASIO, R.B.
SSEBULIBA, J.M. *see* BHAGSARI, A.S.
STARK, J.C. *see* BOHL, W.H.
STARK, J.C., I.R. McCANN, D.T. WESTERMANN, B. IZADI, and T.A. TINDALL. Potato response to split nitrogen timing with varying amounts of excessive irrigation, 765.
STARK, D.M. *see* THORNTON, M.K.
STARK, D.M. *see* WERNER, B.K.
STARK, J.C. and D.T. WESTERMANN. Nitrogen cycling in irrigated legume-potato cropping sequences, 844 (abst.).
STEFFENS, J.C. *see* KOWALSKI, S.P.
STERRETT, S.B. and C.P. SAVAGE, JR. Yield and development of internal heat necrosis affected by foliar fertilization, 844 (abst.).
STERRETT, S.B. *see* TAI, G.C.C.
STEVENSON, W.R. and R.V. JAMES. Effect of seedpiece handling and growth environment on potato seedpiece decay caused by *Erwinia* and *Fusarium* spp., 844 (abst.).
STEVENSON, W.R. *see* CONNELL, T.R.
STIEBER, T.D. *see* SHOCK, C.C.
STIEBER, T.D. and C.C. SHOCK. Location of soil sensors for potato irrigation, 845 (abst.).
TAI, G.C.C., T.R. TARN, G.A. PORTER, and S.B. STERRETT. Performance evaluation of varieties and selections in the northeastern region of North America, 685.
TAI, G.C.C. *see* COLEMAN, W.K.
TANKSLEY, S.D. *see* PINEDA, O.
TARN, T.R. *see* TAI, G.C.C.
TAWFIK, A. and J.P. PALTA. Impact of potato tuber calcium on membrane properties: *In vivo* and *in vitro* studies, 845 (abst.).
TAWFIK, A. and J.P. PALTA. Calcium and nitrogen nutrition alleviates heat stress effect on potato growth, 846 (abst.).
TAWFIK, A. and J.P. PALTA. Spoon-feeding tubers at bulking: A practical mean for enhancing potato tuber quality and yield, 846 (abst.).
TAYLOR, R.J., G.A. SECOR, C.L. RUBY, and P.H. ORR. Tuber yield, soft rot resistance, bruising resistance and processing quality in a population of potato (cv.Crystal) somaclones, 117.
TAYLOR, R.J. *see* KISTNER, M.
TENORIO, J. *see* WATANABE, K.
THILL, C.A. and S.J. PELOQUIN. Yield and specific gravity of clones selected for chipping from single hills, 847 (abst.).
THILL, C.A. and S.J. PELOQUIN. Identification of superior 2x and 4x parents that produce good chipping progeny, 848 (abst.).

THOMPSON-JOHNS, A. *see* LOVE, S.L.
THOMPSON-JOHNS, A., M.K. THORNTON, J.M. TORRELL, and P. NOLTE. Handling survey of seed potato lots, 848 (abst.).
THOMPSON-JOHNS, A. *see* WERNER, B.K.
THOMAS, P.E. *see* FOX, L.
THORNTON, M.K., S.L. LOVE, J.W. deWEERD, G.F. BARRY, and D.M. STARK. Field evaluation of potato lines transformed for high tuber solids content, 849 (abst.).
THORNTON, M. *see* SOJKA, R.E.
THORNTON, M.K. *see* THOMPSON-JOHNS, A.
THORNTON, M. *see* WERNER, B.K.
TIBBITTS, T.W. *see* CUSHMAN, K.E.
TIBBITTS, T.W. and W. CAO. Utilization of potatoes for life support in space, 849 (abst.).
TIBBITTS, T.W. *see* CAO, W.
TINDALL, T.A. *see* GAVLAK, R.G.
TINDALL, T.A. *see* STARK, J.C.
TINGEY, W.M. *see* YENCHO, G.C.
TOBA, H.H. *see* FOX, L.
TOMASULA, P. *see* KOZEMPEL, M.K.
TORRELL, J.M. *see* THOMPSON-JOHNS, A.
TROUT, T.J. *see* KINCAID, D.C.
TURKA, I. Infection monitoring of potato viruses in Latvia, 850 (abst.).
UCHYTIL, T.F. *see* McGRATH, J.
VAN ITTERSUM, M.K. and K. SCHOLTE. Shortening dormancy of seed potatoes by a haulm application of gibberellic acid and storage temperature regimes, 7.
VAN ITTERSUM, M.K., K. SCHOLTE, and S. WARSHAVSKY. Advancing growth vigor of seed potatoes by a haulm application of gibberellic acid and storage temperature regimes, 21.
VALLEJO, R.L., W.W. COLLINS, J.B. YOUNG, and R.D. SCHIAVONE. Immunity to infection by potato virus Y and potato virus X in a *Solanum phureja - S. stentomum* hybrid potato population, 850 (abst.).
VAN den BERG, J.H., P.J. DAVIES, and E.E. EWING. Gibberellin metabolism in dwarf and normal potato plants, 852 (abst.).
VANDER ZAAG, P. *see* DEMAGANTE, A.L.
VANDER ZAAG, P. *see* NGUYEN, U.
VAUGHN, S.F. and G.F. SPENCER. Naturally-occurring aromatic compounds inhibit potato tuber sprouting, 527.
VAUGHN, S.F., G.F. SPENCER, and R. LORIA. Inhibition of *Helminthosporium solani* strains by natural isothiocyanates, 852 (abst.).
VEGA, S.E. and J.B. BAMBERG. Frost screening of *Solanum* species in the NRSP-6 potato genebank, 851 (abst.).
VEGA, S. *see* WATANABE, K.
VEILLEUX, R.E. *see* SHEN, L.Y.
VEILLEUX, R.E., S.M. PIOVANO, and D.H. WUOSMAA. Derivation of anther-derived monoploids of *Solanum phureja* X *S. chacoense* hybrids, 851 (abst.).
VILLARREAL, M. *see* RIVERA-PENA, A.
VITOSH, M.L. and G.H. SILVA. Sap nitrate testing as a guide to nitrogen management of potatoes, 851 (abst.).
VISSER, R. *see* JACOBSON, E.
WALWORTH, J.L. *see* GAVLAK, R.G.
WALWORTH, J.L. and J.E. MUNIZ. A compendium of tissue nutrient concentrations for field-grown potatoes, 579.
WARSHAVSKY, S. *see* VAN ITTERSUM, M.K.

WATANABE, K.N. Comparison on transmission of quantitatively inherited traits between 4x x 2x and 4x x 4x matings in potato, 853 (abst.).
WATANABE, K.N. and M. ORRILLO. An alternative pretreatment method for mitotic chromosome observation in potatoes, 543.
WATANABE, K., J.H. DODDS, H. EL-NASHAAR, V. ZAMBRANO, J. BENAVIDES, E. BUITRON, C. SEGUENAS, A. PANTA, R. SALINAS, S. VEGA, and A. GOLMIRZAIE. Agrobacterium mediated transformation using antibacterial genes for improving resistance to bacterial wilt in tetraploid potatoes, 853 (abst.).
WATANABE, K., M. ORRILLO, S. VEGA, R. ORTIZ, M. IWANAGA, R. FREYRE, H. EL-NASHAAR, K. RAMAN, M. PALACIOS, P. JATALA, E. GUEVARA, J. TENORIO, A. GOLMIRZAIE, G. YERK, and S.J. PELOQUIN. Germplasm enhancement with diploid potato genetic resources. I. Generation and use of haploid-species F_1 hybrids, 854 (abst.).
WATANABE, K., M. ORRILLO, H. EL-NASHAAR, K. RAMAN, P. JATALA, M. PALACIOS, E. GUEVARA, S. VEGA, A. HUARTADO, J. TENORIO, A. GOLMIRZAIE, and S. PEREZ. Germplasm enhancement with diploid potato genetic resources. II. Use of a wide range of breeding stocks, 854 (abst.).
WEBB, R.E. *see* LEACH, S.S.
WEINGARTNER, D.P. and L.J. BROWN. Survey of Florida's potato industry for presence of PVY^N and other potato viruses, 855 (abst.).
WEISS, L.S. and J.P. PALTA. Differences among wild and cultivated potato species in freezing tolerance: The impact of thaw rate and post thaw light intensity, 855 (abst.).
WERNER, B.K. *see* LOVE, S.L.
WERNER, B.K., S.L. LOVE, A. THOMPSON-JOHNS, J.W. deWEERD, M. THORNTON, G.F. BARRY, and D.M. STARK. Agronomic traits and external tuber quality of twelve experimental potato lines transformed with a high dry matter gene, 856 (abst.).
WESTERMANN, D.T. *see* KINCAID, D.C.
WESTERMANN, D.T. *see* SOJKA, R.E.
WESTERMANN, D.T. *see* STARK, J.C.
WESTRA, A.A.G., and S.A. SLACK. Evaluation of relative susceptibility of potato cultivars to bacterial ring rot, 856 (abst.).
WESTRA, A.A.G. *see* SLACK, S.A.
WESTERDAHL, B. *see* CARLSON, H.
WHITWORTH, J.L., R.G. SAMSON, T.C. ALLEN, and A.R. MOSLEY. Detection of potato leafroll virus by visual inspection, direct tissue blotting and ELISA techniques, 497.
WHITWORTH, J.L. *see* SAMSON, R.G.
WICK, J. and D.I. ROUSE. Relationship of pinkeye to other tuber disorders, water stress, and bacterial flora, 857 (abst.).
WIELGUS, S. *see* HELGESON, J.P.
WIELGUS, S.M. *see* McGRATH, J.
WILLARD, M. Potato processing: Past, present and future, 405.
WILLIAMS, C.E. *see* HELGESON, J.P.
WILSON, D.R. *see* GOTH, R.W.
WILSON, D.R. *see* HAYNES, K.G.
WILSON, J. *see* COFFIN, R.
WITHERELL, A. *see* GERMAN, T.
WUOSMAA, D.H. *see* VEILLEUX, R.E.
WYMAN, J. Impacts of transgenic resistance to Colorado potato beetle on potato crop management, 857 (abst.).
WYMAN, J.A. *see* BURDEN, B.J.
WYMAN, J.A. *see* CONNELL, T.R.
WYMAN, J. *see* KABRICK, L.

WYMAN, J. *see* KAUFMAN, P.
WYMAN, J.A. *see* MROCZKIEWICZ, S.P.
YADA, R. *see* COFFIN, R.
YADA, R.Y. *see* DaPEREIRA, A.
YENCHO, G.C., M.W. BONIERBALE, W.M. TINGEY, and R.L. PLAISTED. Genetic mapping of traits associated with resistance to the Colorado potato beetle, 858 (abst.).
YOUNG, J.B. *see* VALLEJO, R.L.
YOUNG, R.J. *see* GOTH, R.W.
YOURSTONE, K.S. *see* HALSETH, D.E.
YOUNG, R.J. *see* DEAHL, K.L.
ZALEWSKI, J.C. Symposium 1992 summary, 419.
ZAMBOLIM, L. *see* HELGESON, J.P.
ZAMBRANO, V. *see* WATANABE, K.
ZHANG, P. *see* SHOCK, C.C.
ZOBEL, R.W. *see* HALSETH, D.E.

1C 202 - XC - 12/30/99
UNI MICROFILMS INC
300 NORTH ZEEB ROAD
ANN ARBOR MI 48106-1346